LMS Elite is a lightweight & wallmount fine pitch product, which will revolutionize the indoor LED experience and introduce many new customers to LED activations. Two panel sizes (500x500mm and 500x1000mm) provide extensive flexibility.

LMS Elite's precise chassis assembly provides a seamless and consistent display, and the LMS Elite is less than 44mm deep, providing an exceptional finish.

LMS Elite's sophisticated design technology ensures a perfectly flat and even screen. This is critical when blacks and grays are being displayed.

LMS Elite is strong, and its chassis has been tested to a remarkable 1300kg breaking point, so hanging 13m without an additional bracket is its safe maximum.

Using common interchangeable components and a modular design, servicing the LMS Elite is easy and convenient.






LED
MIAMI SIGNS

LIGHT & THIN

44mm
THICKNESS

19kg
PER M²



HANGING 13M HIGH
without additional bracket


The chassis has been tested to a
1300kg breaking point



LED MIAMI SIGNS

EASY ASSEMBLY

- UP AND DOWN CAPTIVE BOLT
- LEFT AND RIGHT CAPTIVE BOLT



LED
MIAMI SIGNS



POWERFUL COMPATIBILITY

One chassis with same internalcomposition for all availablepitches.

All parts including module, power-supply,receiving card, hub,cables etc.are interchangeable.

Superhigh efficiency on stocking

LED MIAMI SIGNS



BRIEF SPECS


Model	LMS Elite 2.6
Pixel Pitch(mm)	2.6
LED Configuration	SMD2020
Pixel Density(pixels/m²)	147,456
Brightness(cd/m²)	800~1,000
Module Size(W x H mm)	250x250
Module Resolution (dots)	64x64
Panel Size(W x H mm)	500x500 / 500x1000
Panel Weight(Kg/m²)	Die-casting Aluminum 19.5Kg/m2
Power Consumption (Max/Avg) W/m²	600 /200
Refresh Rate	3840Hz
Viewi angle(H./V.)	140°/140°
Contrast	4000:1
Gray Scale	≤14 bits

LED MIAMI SIGNS

BRACKET FREE DIRECT WALLMOUNT



COMMON BRACKET INSTALLATION




LED MIAMI SIGNS




EASY MAINTENANCE FRONT SERVICE

Module and all parts are front accessible

LED MIAMI SIGNS






90° & CUBIC ASSEMBLY

MINIMUM CUBIC ASSEMBLY IS
500*500*500mm

LED MIAMI SIGNS



CONCAVE & CONVEX

Panels are designed for concave and convex walls, to make a perfectjoint between panels, edges of curcuit board are 45° cut.